

L Number	Hits	Search Text	DB	Time stamp
-	1165	310/268.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 12:34
-	170	310/264.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/09/07 14:56
-	2495	310/261.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/09/07 14:56
-	1456	310/40r.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/09/07 14:56
-	391	310/10.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/09/07 15:02
-	10	((310/264.ccls. or 310/261.ccls. or 310/40r.ccls. or 310/10.ccls.) and ((rotor near (flat or circular))and control\$3)) not 310/268.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 12:41
-	23	310/268.ccls. and ((rotor near (flat or circular))and control\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/09/07 15:03
-	2	("4568862" "4578610").PN.	USPAT	2002/09/07 15:12
-	13	("3334254" "3418506" "3823919" "4121668" "4169983" "4358693" "4371801" "4382190" "4392073" "4503349" "4521349" "4792237" "4804439").PN.	USPAT	2002/09/07 15:20
-	7	("4074157" "4303843" "4318019" "4475075" "4639626" "4798986" "4866321").PN.	USPAT	2002/09/07 15:21
-	24	("3223867" "3225235" "3355914" "3735231" "4081726" "4288709" "4315171" "4316394" "4353602" "4483570" "4514674" "4677327" "4683391" "4737753" "4761574" "4794286" "4857782" "4922145" "5160877" "5198711" "5216308" "5237229" "5334894" "5396140").PN.	USPAT	2002/09/07 15:23
-	30	(310/268.ccls. or 310/264.ccls. or 310/261.ccls. or 310/40r.ccls. or 310/10.ccls.) and @pd>20020907	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 10:41
-	987	((rotor near (flat or circular))and control\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 10:41
-	391	((rotor near (flat or circular))and control\$3)) and slot	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 12:47
-	6861	vehicle and (brake and rotor)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 12:48
-	1107	(vehicle and (brake and rotor)) and slot	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 10:42

-	21	(US-6342769-\$ or US-6283255-\$ or US-6244391-\$ or US-6161660-\$ or US-5921354-\$ or US-5915504-\$ or US-5915505-\$ or US-4868443-\$ or US-5039895-\$ or US-5117141-\$ or US-5696419-\$ or US-5959382-\$ or US-4798986-\$ or US-4866321-\$ or US-6509663-\$ or US-3355914-\$ or US-4081726-\$ or US-4288709-\$ or US-3862289-\$ or US-3867656-\$ or US-6472784-\$).did.	USPAT	2003/10/09 10:40
-	6	((US-6342769-\$ or US-6283255-\$ or US-6244391-\$ or US-6161660-\$ or US-5921354-\$ or US-5915504-\$ or US-5915505-\$ or US-4868443-\$ or US-5039895-\$ or US-5117141-\$ or US-5696419-\$ or US-5959382-\$ or US-4798986-\$ or US-4866321-\$ or US-6509663-\$ or US-3355914-\$ or US-4081726-\$ or US-4288709-\$ or US-3862289-\$ or US-3867656-\$ or US-6472784-\$).did.) and commutat\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 10:43
-	48	(310/268.ccls. or 310/264.ccls. or 310/261.ccls. or 310/40r.ccls. or 310/10.ccls.) and @pd>20030121	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 10:28
-	31	((rotor near (flat or circular))and control\$3)) and @pd>20030121	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 10:29
-	52	((vehicle and (brake and rotor)) and slot) and @pd>20030121	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 10:29
-	21	((310/268.ccls. or 310/264.ccls. or 310/261.ccls. or 310/40r.ccls. or 310/10.ccls.) and @pd>20030121) or (((rotor near (flat or circular))and control\$3)) and @pd>20030121) or ((vehicle and (brake and rotor)) and slot) and @pd>20030121)) and commutat\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 10:51
-	34	("0530717" "1465251" "2408080" "2409600" "2845554" "2914688" "3084269" "3133216" "3185877" "3270228" "3465187" "3488533" "3594596" "3616761" "3699370" "3705995" "3736450" "3784853" "3944865" "3989969" "4021690" "4097758" "4321499" "4372633" "4514653" "4677334" "4691133" "4866321" "5451825" "5481149" "5514923" "5866967" "5923114" "6049150").PN.	USPAT	2003/10/09 10:54
-	31	(310/268.ccls. or 310/264.ccls. or 310/261.ccls. or 310/40r.ccls. or 310/10.ccls.) and @pd>20031009	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 10:03
-	19	((rotor near (flat or circular))and control\$3)) and @pd>20031009	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 10:02
-	32	((vehicle and (brake and rotor)) and slot) and @pd>20031009	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 10:02
-	84780	rotor same (slot or hole or opening or cavity or perforation)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 15:39

-	12379	((rotor same (slot or hole or opening or cavity or perforation)) and (stator same (coil or winding)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 10:01
-	4810	((rotor same (slot or hole or opening or cavity or perforation)) and (stator same (coil or winding))) and (disk or flat)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 10:38
-	3780	((rotor same (slot or hole or opening or cavity or perforation)) and (stator same (coil or winding))) and (disk or flat) and (position or location)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 10:40
-	1943	((rotor same (slot or hole or opening or cavity or perforation)) and (stator same (coil or winding))) and (disk or flat) and (position or location) and 310/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 10:42
-	2514	310/166.ccls. or 310/168.ccls. or 310/68b.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 10:01
-	504	(310/166.ccls. or 310/168.ccls. or 310/68b.ccls.) and (rotor same (slot or hole or opening or cavity or perforation))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 10:01
-	1420	318/\$.ccls. and (rotor same (slot or hole or opening or cavity or perforation))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 10:00
-	2	((("6486582") or ("5341076"))).PN.	USPAT	2004/03/16 15:44
-	1	("10191603").PN.	JPO	2004/03/16 15:44
-	30	(318/\$.ccls. and (rotor same (slot or hole or opening or cavity or perforation))) and @pd>20040316	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 10:04
-	20	(310/166.ccls. or 310/168.ccls. or 310/68b.ccls.) and @pd>20040316	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:23
-	22	((vehicle and (brake and rotor)) and slot) and @pd>20040316	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 10:05
-	19	((rotor near (flat or circular))and control\$3)) and @pd>20040316	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 10:05
-	51	(310/268.ccls. or 310/264.ccls. or 310/261.ccls. or 310/40r.ccls. or 310/10.ccls.) and @pd>20040316	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 10:06
-	263	((rotor same (slot or hole or opening or cavity or perforation)) and (stator same (coil or winding))) and @pd>20040316	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:23